

BARROS COMMERCIAL

Votre contact en Suisse : RR BARROS Sàrl – RR Commercial
Route des Provins 21 · 2087 Cornaux NE · Tél. +41 32 767 18 18
contact@rr-commercial.ch · www.rr-commercial.ch





BTS
ALUMINIUM PERFECTED

Our company, which started its business life with the production of aluminum accessories in 1988, today is proud of being a brand in aluminum and glass railing systems. Today, BTS Aluminium is delivering it's products more than 50 countries in 5 continents. Our aluminum profile extrusion facility is located in Kırklareli/Turkey and eqquiped with modern machinery with the latest technologies for extrusion. Annual capacity for extrusion is 6500 tons, powder coating 3600 tons.

Our product range is;

- Aluminium Extrusions
- Frameless Glass Railing Systems
- Sliding & Folding Glass Systems
- Fixed Veranda / Wintergarden System
- Vertical Sliding Guillotine System
- Rolling Roof
- PVC Pergola
- Garden Fence & Gates Systems
- Retractable Glass / Windbreaker
- Glass Canopy

We constantly work to satisfy our customers' demands to the very fullest. Our company which has as principles the full customer's satisfaction, best service and high quality in products is exporting the %85 of it's production. We are giving enormous importance to develop continously new products in order to give the best service in this field. Since first day, we have always tried to develop ourselves and our products and offer innovations to our customers.

btsaluminium.com

The Ultimate Solution For Balconies and Terraces!

BTS presents the ultimate solution balconies and terraces. Our innovative glass panel system offers the unique ability to fully retract, giving you the freedom to fully or partially open the outdoor space as desired. You can enjoy unimpeded panoramic views of the surrounding scenery. Sturdy design, easy use and maintenance, ensuring that you can fully enjoy your balcony or terrace. BTS F200 folding glass balcony system which made from high-quality materials with elegant design, provides you with an exceptional outdoor living experience.

Key Features

- Water drainage from specially designed side caps.
- 30 mm Insulated glass usage.
- Panel profiles that allow 90º and multiple angles to be applied.
- Maximum isolation with epdm rubbers between panels.
- High strength case and panel profiles
- Integration with jalousie curtain blinds.
- Extra secure and elegant design with espagnollete mechanism

Applications

Perfect for villas, residential buildings, commercial spaces, hotels, terraces, and balconies-anywhere glazed openings are required.

Typologies

Compatible with multiple configurations like single-direction or with its vertical profiles specially designed for angled balconies, you can apply it to balconies of different shapes. The wings of the double glazed glass balcony system slide easily and can be made completely open without a pole.



F200

SLIDING FOLDING GLASS SYSTEM
KAYAR KATLANIR CAM BALKON SİSTEM




BTS
ALUMINIUM PERFECTED



Retractable BTS F200 Glazing is perfect if you want a fully-opening solution.

BTS' retractable glazing balcony system provides homeowners with many advantages, as well as the added flexibility of being able to open and close the glass balcony or terrace panels as desired.

BTS F200 retractable glazing system opens fully and folds tidily against an interior wall. Because they fold to the inside, our glass panes are easy to use and maintain. They can also be secured to prevent them from moving in the wind.




TECHNICAL CHARACTERISTICS

HARDWARE	
Folding	✓


SYSTEM PROFILE DIMENSIONS	
Lower & Upper Case Profile Height	63 mm
System width	40 mm
Interlocking width	42 mm

GLASS THICKNESS	
4.22.4 Insulated Glass	✓


EXTRAS	
Integration with jalousie curtain blinds	✓
Multiple angles	✓




Code: **1683**
0,620 kg/m




Code: **1684**
0,441 kg/m




Code: **1685**
0,417 kg/m




Code: **1686**
0,845 kg/m




Code: **1687**
1,081 kg/m




Code: **1730**
1,230 kg/m




Code: **1731**
1,325 kg/m




Code: **1690**
0,598 kg/m




Code: **1691**
0,804 kg/m




Code: **1692**
0,604 kg/m









Code: **1693**
0,701 kg/m






Code: **1694**
1,143 kg/m





Code: **1695**
0,680 kg/m


	CODE KOD	DESCRIPTION AÇIKLAMA	QUANTITY IN PACKAGE PAKET MİKTARI
	AK-5563	**Case - Side Mullion Corner Connector** Kasa - Yan Dikme Bağlantı Takozu	
	AK-5564	**Interlocking Profile Caps (Top-Bottom)** Cam Cama Kanat Birleşim Kapak Seti (Alt-Üst)	
	AK-5565	**Opening Sash Profile Caps (Top-Bottom)** Kilitli Kanat Kapak Seti (Alt-Üst)	
	AK-5566	**90° Interlocking Profile Caps (Set)** 90° Dönüş Kapak Seti	
	AK-5567	**Multi Angle Interlocking Profile Female Caps (Top-Bottom)** Eksenel Dönüş Kapak (Alt-Üst) Set Dişi	
	AK-5568	**Multi Angle Interlocking Profile Male Caps (Top-Bottom)** Eksenel Dönüş Kapak (Alt-Üst) Set Erkek	
	AK-5460	**Handle** Bas Çevir Push Kol	
	AK-5569	**Straight Wheel** Düz Teker	
	AK-5570	**Park Wheel** Park Teker	


	CODE KOD	DESCRIPTION AÇIKLAMA	QUANTITY IN PACKAGE PAKET MİKTARI
	AK-5571	**Sash Upper Exit** Otomatik Üst Çıkış Yolu	
	AK-5572	**Sash Bottom Exit** Kapaklı Alt Çıkış Yolu	
	AK-5573/100 AK-5573/120 AK-5573/140 AK-5573/160 AK-5573/180	**Espagnolette Mechanism** İspanyolet 100 - 120 - 140 - 160 - 180 cm	
	AK-5574	**Opening Sash Top / Bottom Hinge Pim Set** İlk Kanat Alt / Üst Pim Takımı	
	AK-5575	**Espagnolette Striker** Kilit Karşılığı	
	AK-5576	**Sash Stabilizer (6)** 6'lı Park	
	AK-5577	**Sash Stabilizer (9)** 9'lu Park	
	AK-5578	**Sash Stopper** Kanat Stoplama	
	CNT-054	**Interlocking Sash Izolation Rubber** Kenet İzolasyon Contası	
	CNT-055	**90° Interlocking Sash Izolation Rubber** 90° Dönüş İzolasyon Contası	
	AK-5467	**Weather Strip** Fırça Fitil	**300 m** Roll/Rulo






20
28
14.4
27.8
40
30
33.5
14.4
42.2





70.4
28
20
30
40
14.2
33.8





43.2
40
63.2
4.3
42.7
30
42.7
10
53



90°


40
20
33.5
28
14.2
14
41.9
28
90°
13
40
55.7


90° - 180°

40
20
33.5
28
14.2
14
41.9
28
90°
13
40



90° - 180°


40
20
33.5
28
14.2
14
41.9
28
13
135°
40



90° - 180°

180°



BTS
ALUMINIUM PERFECTED

Headquarters
Mermerciler Sanayi Sitesi 7. Cd. No: 6
Yakuplu / Beylikdüzü / İstanbul / Türkiye

T : +90 212 875 17 14 - 876 50 88 - 876 50 89
F : +90 212 876 08 95

Factory (Extrusion)
Kızılcıkdere OSB 4. Cadde No:7
Kırklareli / Türkiye

T : +90 288 502 32 02 - 288 502 32 04

Branch Office & Retail Sale
Hürriyet Mh. Dr. Cemil Bengü Cd. Yurt Sk.
No:13 Çağlayan / İstanbul / Türkiye

T : +90 212 247 16 66 - 248 19 81 - 219 35 70
F : +90 212 219 28 39

info@btsaluminium.com
www.btsaluminium.com

Votre contact en Suisse

Conseil, devis et commande des produits BTS Aluminium en Suisse

RR BARROS Sàrl – RR Commercial

Route des Provins 21

2087 Cornaux NE – Suisse

Tél. +41 32 767 18 18

contact@rr-commercial.ch

www.rr-commercial.ch